# CUMULATIVE AUTHOR INDEX
## *Journal of Medical Entomology*
## Volume 34, 1997


A

Abdullah, G., 257
Alexander, N., 193
Alpers, M. P., 193
Amerasinghe, F. P., 290
Amerasinghe, P. H., 290
Anderson, R. A, 95
Andres, M. J., 242
Añez, N., 312
Arruda, L. K., 307
Avner, D. B., 307

B

Ba, K., 396
Babion, R., 247
Barnard, D. R., 226
Barnes, K. C., 212
Beaty, B., 247
Bergan, J. F., 411
Bermudez, H., 544
Bertrand, M. R., 167
Bisset, J., 244
Black, IV., W. C., 404
Blair, C., 247
Bonder, M. A., 253
Bossert, W. H., 417
Botelho, J. R., 494
Bottazzi, V., 102
Bowman, A. S., 160
Bradshaw, W. E., 38
Brenner, R. J., 212
Broberg, L. E., 38
Brust, R. A., 95
Bullini, L., 116
Burg, J. G., 29
Butler, J. F., 353
Byrd, J. H., 353

C

Cabrera Mori, C. M., 521
Carnicas, J-L., 511
Canals, M., 11
Casini, C., 544
Castillo, J. A., 242
Cattan, P. E., 11
Cazorla, D., 312
Chapman, M. D., 307
Chastel, C., 238
Chen, Y., 56
Cocchi, M., 263
Coetzee, M., 573
Cole, R. A., 411
Collins, F. H., 573
Cooper, L. A., 346
Cornel, A. J., 573
Cornet, J-P., 511
Crabtree, M. B., 532
Cupp, E. W., 56, 87
Cupp, M. S., 56, 87

D

Daniels, E., 461
Dean, S. R., 485
Deane, M. P., 189
DeMaria, M., 494
Desch, Jr., C. E., 317
DesVignes, F., 379
DeVito, E., 116
Dia, I., 396
Diatta, M., 396
Dillwith, J. W., 160
Diop, A., 396, 511
Dolan, M. C., 46, 128
Donahue, W. A., 206
Dujardin, J. P., 544
Durden, L. A., 372
Duszynski, D. W., 359
Duzak, D., 136

E

Edman, J. D., 346
Ehrenfeld, M., 11
Ellis, J. A., 18
Endepols, S., 489

F

Fanning, I. D., 156
Faye, O., 285
Feliciangeli, M. D., 110, 312
Fernández-Caldas, E., 212
Ferrer-Dufol, M., 242
Fielden, L-J., 234
Fish, D., 379, 569
Fonseka, K. T., 290
Fontenille, D., 285, 396
Fukuda, T., 226

G

Gage, K. L., 46
Galun, R., 74
Gebre-Michael, T., 383
Goff, M. L., 328, 438
Goldberg, M., 234
Golde, W. T., 128
Gordon, E. W., 179
Gracia-Salinas, M. J., 242
Gray, P. N., 411
Grimaldi, Jr., G., 189
Guzman, H., 189

H

Haile, D. G., 461
Happ, C. M., 451
Hardy, J. L., 179
Hebrard, G., 285
Hélias, C., 238
Herve, J. P., 285
Hii, J.L.K., 193
Hinkle, N. C., 578
Hnida, J. A., 359
Holbrook, F. R., 24, 247
Hong, C. C., 257
Hu, R., 559
Hunt, R. H., 573
Hurley, R. J., 317
Hyland, K. E., 559

I

Igarashi, A., 257
Ioffe-Uspensky, I., 74

J
Jacobson, M., 247
Jones, S. R., 426, 517
Juliano, S. A., 457

K
Kain, D. E., 441
Karchesy, J., 340
Kay, B. H., 156
Koekemoer, L. L., 573
Kollars, Jr., T. M., 372
Konate, L., 285
Konradsen, F., 290
Kunz, S. E., 426, 517

L
Lane, R. S., 441
Lardeux, F.J.R., 387
LaTorre, J. L., 253
Lee, H. L., 527
LeGoff, F., 238
Lemasson, J-J., 396
Levin, M., 569
Lewis, D., 193
Lewis, D. J., 565
Linardi, P. M., 494
Linley, J. R., 136
Linthicum, K. J., 368
Lochouarn, L., 396
Lockwood, J. A., 24
Lothrop, H. D., 179, 430
Lounibos, L. P., 136
Lucientes, J., 242

M
Mahadevan, S., 257
Mai, A., 193
Malan, J.C.S., 340
Marchi, A., 263
Markowski, D., 559
Masters, E. J., 372
Matuschka, F-R., 489
Maupin, G. O., 46, 128, 340
McGinn, D., 156
McKenzie, F. E., 417
McKown, R. D., 438
Mecham, J. O., 18, 24
Medhin, G., 383
Mellor, S., 193
Menichetti, D., 263
Meola, R. W., 206, 485
Metzger, M. E., 173
Meyer, R. P., 430
Miller, B. R., 532
Milne, D. E., 212
Molez, J-F., 396
Mollet, J. A., 307
Montenieri, J., 46
Mori, K., 538
Mouchet, J., 285
Mount, G. A., 461
Mulla, M. S., 5, 68
Mullens, B. A., 277
Mumcouglu, K. Y., 74
Mundy, T., 404
Muscio, O. A., 253

N
Nannini, M. A., 457
Newman, S., 33, 411
Nunamaker, R. A., 18, 24

O
Oda, K., 257
Oliver, Jr., J. H., 372
Ottenwaelder, T., 387

P
Panella, N. A., 46, 128, 340
Papero, M., 569
Pasteur, N., 244
Patrican, L. A., 52
Payette, T., 404
Pence, D. B., 33, 411
Perez Pacheco, R., 1
Peribañez, M. A., 242
Perzanowski, M. S., 307
Phillips, D. A., 156
Pierdominici, G., 263
Piesman, J., 46, 128, 340, 451
Pietrokovsky, S., 102
Pili, E., 263
Platts-Mills, T.A.E., 307
Pollack, R. J., 298
Presser, S. B., 179

Q
Quicke, D. J., 312

R
Rabinovich, J. E., 102
Raich, T., 247
Ramos Franco, A. M., 189
Rau, M. E., 565
Raymond, M., 244
Rechav, Y., 234
Reisen, W. K., 116, 179, 430
Richards, E. N., 328
Richter, D., 489
Ritchie, S. A., 156
Rodchareon, J., 5
Rodhain, F., 238
Rodriguez, M., 244
Roh, P.-U., 82
Romi, R., 263
Rubio-Palis, Y., 499
Rueda, L. M., 82
Rust, M. K., 173
Ryu, J. L., 82

S
Sajiki, J., 538
Santamarina Mijares, A., 1
Santos Ferreira, C., 521
Sauer, J. R., 160
Savage, H. M., 532
Schofield, C. J., 544
Schofield, S., 64
Schumaker, T.T.S., 521
Schweigmann, N. J., 102
Scodeller, E. A., 253
Scott, T. W., 346
Severini, C., 263
Silvestrini, F., 116
Simard, F., 396
Sinniah, M., 257
Smith, G., 301
Smith, T., 193
Soca, A., 244
Solis, R., 11
Spalding, M. G., 411
Sperling, F.A.H., 441
Spielman, A., 298, 489

Stafford, III., K. C., 552
Standfast, H. A., 156
Strey, O. F., 206
Su, T., 68
Sugiyama, A., 272
Sutcliffe, J. F., 64
Suwonkerd, W., 272
Sy, N., 285

T
Takagi, M., 272
Tamburro, A., 263
Tan, S. W., 527
Tanskul, P., 368
Teel, P. D., 206
Tesh, R. B., 189
Thim, C. S., 257
Tibayrenc, M., 544
Trudeau, W. L., 212
Tsuda, Y., 272
Turell, M. J., 298

U
Urbanelli, S., 116
Uspensky, I., 74

V
Vaidyanathan, R., 346
Vail, S. G., 301
Vailes, L. D., 307
Valderas, J., 11
Valenta, D. T., 312
Van Rensburg, A. J., 573
Vazeille-Falcoz, M., 238
Velten, R. K., 277
Vijayamalar, B., 257
Vythilingam, I., 257

W
Wada, Y., 272
Washino, R. K., 219
Wekesa, J. W., 219
West, D. F., 404
Wigington, J. G., 18
Willis, O. R., 226
Wilson, M. L., 167
Wilson, W. D., 359
Wisnivesky-Colli, C., 102

Y
Yap, K. L., 527
Yuval, B., 219

Z
Zahiri, N., 565
Zeller, H. G., 511
Zhu, K., 160
Zimmerman, R. H., 499

# CUMULATIVE SUBJECT INDEX
## *Journal of Medical Entomology*
## Volume 34, 1997


A

abundance, *Anopheles freeborni*, 217
  *Culex tarsalis*, 217
Acari, Demodecidae, 317
  ectoparasite, 317
  hypoderatid deutonymphs, 33, 411
  new species description, 33
  new host records, 411
  *Ornithodoros* (*Alectorobius*) *amblus*, 521
  tick biology, 521
*Aedes aegypti*, *Aedes albopictus*, 226
  *Ascogregarina taiwanensis*, 226
  *Aedes atropalpus*, 565
  *Plagiorchis elegans* infection, 565
*Aedes albopictus*, *Aedes aegypti*, 226
  *Ascogregarina taiwanensis*, 226
*Aedes atropalpus*, *Aedes aegypti*, 565
  *Plagiorchis elegans* infection, 565
*Aedes canadensis*, *Culex salinarius*, 346, vector competence, 346
*Aedes sierrensis*, *Lambornella clarki*, 38
  parasite resistance, 38
*Aedes* spp., *Culex* spp., 257
  Japanese encephalitis virus, 257
*Aedes triseriatus*, developmental escape, 457
  *Toxorhychites rutilus*, 457
Albimanus Section, *Anopheles* spp., 136
  eggs, 136
allergen (s), *Blattela germainca*, 205
  *Dermatophagoides farinae*, 212
  *Dermatophagoides pteronyssinus*, 212
  German cockroach, 305
allozymes, *Ixodes pacificus*, 441
  population genetics, 441
*Amblyomma americanum*, hemolysis, 160
  phospholipase $A_2$, 160
*Amblyomma cajennense*, male-produced, 234
  attachment phermones, 234
*Amblyomma cajennense* ticks, Venezuelan equine encephalitis virus, 298
  enema, 298
American dog tick, atomic absorption spectrometry, 29
  elemental marking, 29
analog, juvenile hormone analog, 206
  molting, 206
*Anopheles quadriannulatus*, *Anopheles gambiae* complex, 573
  *Anopheles merus*, 573
*Anopheles albimanus*, *Culex quinquefasciatus*, 1
  *Romanomermis culicivorax*, 1
*Anopheles arabiensis*, *Anopheles gambiae* s.s., 285, 396
  biting, 285
  malaria transmission, 396
*Anopheles freeborni*, *Culex tarsalis*, 217
  abundance, 217
*Anopheles gambiae* complex, *Anopheles merus*, 573
  *Anopheles quadriannulatus*, 573
*Anopheles gambiae* (s.s.), *Anopheles arabiensis*, 285, 396
  biting, 285
  malaria transmission, 396
*Anopheles merus*, *Anopheles gambiae* complex, 573
  *Anopheles quadriannulatus*, 573
*Anopheles* (spp.), Albimanus Section, 136
  bitting cycles, 193
  breeding, 290
  ecology, 193
  ecoregion, 499
  eggs, 136
  malaria, 263, 290, 499
  malaria transmission, 417

malaria vectors, 263
*Plasmodium* spp., 417
arbovirus transmission, *Culex tarsalis*, 179
landscape ecology, 179
arthropod succession, decomposition, 328
forensic entomology, 328
*Ascogregarina taiwanensis*, *Aedes aegypti*, 226
*Aedes albopictus*, 226
atomic absorption spectrometry, American dog tick, 29
elemental marking, 29
attachment pheromones, *Amblyomma cajennense*, 234
male-produced, 234
attractiveness, black flies, 64
*Simulium venustum*, 64
autogeny, *Culex tarsalis*, 68
nutritional reserves, 68

B

*Babesia microti*, feeding behavior, *559*
*Ixodes scapularis*, 559
*Bacillus sphaericus*, *Culex pipiens*, 321
*Culex quinquefaciatus*, 5
mechanisms of resistance, 321
resistance, 5
biting, *Anopheles arabiensis*, 285
*Anopheles gambiae* s.s., 285
biting cycles, *Anopheles* spp., 193
ecology, 193
black flies, attractiveness, 64
*Simulium venustum*, 64
black fly, hemocyte, 56
microfilaria, 56
*Blattela germainca*, German cockroach, 305
allergen, 305
blood-feeding, *Culex*, 95
mosquitoes, 95
blue-tongue, *Culicoides variipennis occidentalis*, 277
*Culicoides variipennis sonorensis*, 277
bluetongue virus, *Culicoides variipennis sonorensis*, 18, 24
immunoelectron microscopy, 18, 24
Bolivia, Chagas disease, 544
*Triatoma infestans*, 544
*Borrelia burgdorferi*, feeding density, 569
*Dermacentor variabilis*, 451
*Ixodes scapularis*, 52, 451, 461, 569
Lyme disease, 52, 461
botanical acaricides, immature ticks, 340
*Ixodes scapularis*, 340
breeding, *Anopheles*, 290
malaria, 290

C

California, *Culex tarsalis*, 430
host-seeking activity, 430
Chagas disease, Bolivia, 544
*Triatoma infestans*, 544
chigger (s), *Hexidionis*, 438
*Leptotrombidium*, 368
Trombiculidae, 368, 438
*Chrysomya rufifacies*, insect development, 353
temperature, 353
control, insecticides, 552
*Ixodes scapularis*, 552
Crimean-Congo hemorrhagic fever, tick, 511
transmission, 511
cross-resistance, *Culex pipiens quinquefasciatus*, 244
insecticide resistance, 244
*Ctenocephalides felis*, development, 173
juvenile hormone, 485
juvenile hormone mimic, 485
temperature, 173
*Ctenocephalides felis felis*, Pulicidae, 494
Siphonaptera, 494
*Culex*, blood-feeding, 95
mosquitoes, 95
*Culex pipiens*, *Bacillus sphaericus*, 321
mechanisms of resistance, 321
*Culex pipiens* complex, species identification, 532
subtractive hybridization, 532
*Culex pipiens pipiens*, *Culex pipiens quiquefasciatus*, 116
phallosome

morphology, 116
*Culex pipiens quinquefasciatus*, cross-resistance, 244
*Culex pipiens pipiens*, 116
insecticide resistance, 244
phallosome morphology, 116
*Culex quinquefasciatus*, *Anopheles albimanus*, 1
*Bacillus sphaericus*, 5
*Romanomermis culicivorax*, 1
resistance, 5
*Culex salinarius*, *Aedes canadensis*, 346
vector competence, 346
*Culex* spp., *Aedes* spp., 257
habitat, 274
Japanese encephalitis virus, 257
rice culture practices, 274
*Culex tarsalis*, abundance, 217
*Anopheles freeborni*, 217
arbovirus transmission, 179
autogeny, 68
California, 430
host-seeking activity, 430
landscape ecology, 179
nutritional reserves, 68
Culicidae, mosquito vectors, 156
Ross River virus, 156
*Culicoides belkini*, population size, 387
environmental variables, 387
*Culicoides crepuscularis*, *Culicoides variipennis*, 247
host selection, 247
*Culicoides variipennis occidentalis*, bluetongue, 277
*Culicoides variipennis sonorensis*, 277
*Culicoides variipennis*, *Culicoides crepuscularis*, 247
host selection, 247
*Culicoides variipennis sonorensis*, bluetongue, 18, 24, 277
*Culicoides variipennis occidentalis*, 277
immunoelectron microscopy, 18, 24
*Cuterebra austeni*, *Cuterebra neomexicana*, 359
*Neotoma albigula*, 359
*Cuterebra neomexicana*, *Cuterebra austeni*, 359
*Neotoma albigula*, 359

**D**

decomposition, forensic entomology, 328
arthropod succession, 328
Demodecidae, Acari, 317
ectoparasite, 317
*Dermacentor albipictus*, *Ixodes scapularies*, 372
ticks, 372
*Dermacentor andersoni*, *Ixodes scapularis*, 128
*Ixodes spinipalpis*, 128
*Dermacentor variabilis*, *Borrelia burgdorferi*, 451
*Ixodes scapularis*, 451
*Dermatophagoide farinae*, allergens, 212
*Dermatophagoides pteronyssinus*, 212
*Dermatophagoides pteronyssinus*, allergens, 212
*Dermatophagoides farinae*, 212
optimum temperature, 538
phospholipase, 538
development, *Ctenocephalides felis*, 173
temperature, 173
developmental escape, *Aedes triseriatus*, 457
*Toxorhychites rutilus*, 457

**E**

ecology, *Anopheles* spp., 193
biting cycles, 193
ecoregion, *Anopheles*, 499
malaria, 499
ectoparasite, Acari, 317
Demodecidae, 317
eggs, Albimanus Section, 136
*Anopheles* spp., 136
egg survival, *Hypoderma lineatum*, 517
temperature, 517
*Ehrlichia*, human granulocytic ehrlichiosis, 379
*Ixodes scapularis*, 379
elemental marking, American dog tick, 29
atomic absorption

spectrometry, 29
*Endotrypanum*, experimental infection, 189
sand flies, 189
enema, *Amblyomma cajennense* ticks, 298
Venezuelan equine encephalitis virus, 298
environmental variables, *Culicoides belkini*, 387
population size, 387
experimental infection, *Endotrypanum*, 189
sand flies, 189

F

feeding behavior, *Babesia microti*, 559
*Ixodes scapularis*, 559
feeding density, *Borrelia burgdorferi*, 569
a*Ixodes scapularis*, 569
filth flies, Korea, 82,
parasitoids, 82
flea, *Ixodes spinipalpis*, 46
*Neotoma mexicana*, 46
forensic entomology, arthropod succession, 328
decomposition, 328

G

German cockroach, allergen, 305
*Blattela germainca*, 305

H

habitat, *Culex* spp., 274
rice culture practices, 274
*Haematobia irritans*, *Stomoxys calcitrans*, 426
supercooling point, 426
Haematopota, Tabanid, 238
spiroplasmas, 238
hemocyte, black fly, 56
microfilaria, 56
hemolysis, *Amblyomma americanum*, 160
phospholipase $A_2$, 160
*Hexidionis*, chigger, 438
Trombiculidae, 438
host selection, *Culicoides crepuscularis*, 247
*Culicoides variipennis*, 247
host-seeking activity, California, 430
*Culex tarsalis*, 430
hourly activity, *Lutzomyia gomezi*, 110
*Lutzomyia ovallesi*, 110
housefly, rotavirus, 527
mechanical transmission, 527
human granulocytic ehrlichiosis, *Ehrlichia*, 379
*Ixodes scapularis*, 379
hypoderatid deutonymphs, Acari, 33,411
new host records, 411
new species description, 33
*Hypoderma lineatum*, egg survival, 517
temperature, 517

I

immature ticks, botanical acaricides, 340
*Ixodes scapularis*, 340
immunoelectron microscopy, bluetongue virus, 18,24
*Culicoides variipennis sonorensis*, 18, 24
infection, *Triatoma infestans*, 253
Triatoma virus, 253
insect development, *Chrysomya rufifacies*, 353
temperature, 353
insecticide resistance, 244
cross-resistance, 244
*Culex pipiens quiquefasciatus*, 244
insecticides, control, 552
*Ixodes scapularis*, 552
internal transcribed spacer, polymerase chain reaction, 404
snow pool *Aedes*, 404
*Ixodes pacificus*, allozymes, 441
population genetics, 441
*Ixodes ricinus*, Lyme disease, 489
rats, 489
*Ixodes scapularis*, *Dermacentor albipictus*, 372
ticks, 372
*Ixodes* scapularis, *Babesia microti*, 559
*Borrelia burgdorferi*, 52,451,461,569
botanical acaricides, 340
control, 552
*Dermacentor andersoni*, 128
*Dermacentor variabilis*, 451

*Ehrlichia*, 379
feeding behavior, 559
feeding density, 569
human granulocytic ehrlichiosis, 379
immature ticks, 340
insecticides, 552
Ixodes *spinipalpis*, 128
Lyme disease, 52, 301, 461
microclimate, 167
population regulation, 301
tick population biology, 167
*Ixodes spinipalpis*, *Dermacentor andersoni*, 128
flea, 46
*Ixodes scapularis*, 128
*Neotoma mexicana*, 46

**J**

Japanese encephalitis virus, *Aedes* spp., 257
*Culex* spp., 257
juvenile hormone, *Ctenocephalides felis*, 485
juvenile hormone mimic, 485
juvenile hormone analog, analog, 206
molting, 206
juvenile hormone mimic, *Ctenocephalides felis*, 485
juvenile hormone, 485

**K**

Korea, filth flies, 82
parasitoids, 82

**L**

*Lambornella clarki*, *Aedes sierrensis*, 38
parasite resistance, 38
landscape ecology, arbovirus transmission, 179
*Culex tarsalis*, 179
*Leptotrombidium*, chiggers, 368
Trombiculidae, 368
*Lutzomyia gomezi*, hourly activity, 110
*Lutzomyia ovallesi*, 110
*Lutzomyia ovallesi*, *Lutzomyia gomezi*, 110
hourly activity, 110
*Lutzomyia spinicrassa*, *Lutzomyia townsendi*, 312
*Lutzomyia youngi*, 312
*Lutzomyia townsendi*, *Lutzomyia spinicrassa*, 312
*Lutzomyia youngi*, 312
*Lutzomyia youngi*, *Lutzomyia spinicrassa*, 312
*Lutzomyia townsendi*, 312
Lyme disease, *Borrelia burgdorferi*, 52, 461
*Ixodes ricinus*, 489
*Ixodes scapularis*, 52, 301, 461
population regulation, 301
rats, 489

**M**

malaria, *Anopheles(spp)*., 263, 290, 499
breeding, 290
ecoregion, 499
malaria vectors, 263
malaria transmission, 396
*Anopheles arabiensis*, 396
*Anopheles gambiae*, 396
*Anopheles* spp., 417
*Plasmodium* spp., 417
malaria vectors, *Anopheles spp*., 263
malaria, 263
male-produced, *Amblyomma cajennense*, 234
attachment pheromones, 234
mechanical transmission, housefly, 527
rotavirus, 527
mechanisms of resistance, *Bacillus sphaericus*, 321
*Culex pipiens*, 321
microclimate, *Ixodes scapularis*, 167
tick population biology, 167
microfilaria, black fly, 56
hemocyte, 56
molting, analog, 206
juvenile hormone analog, 206
morphometrics, *Phlebotomus bergeroti*, 383
*Phlebotomus duboscqui*, 383
mosquitoes, *Culex*, 95
blood-feeding, 95
mosquito vectors, Culicidae, 156
Ross River virus, 156
Myiasis, Oestridae, 242
*Oestrus ovis*, 242

**N**

*Neotoma albigula*, *Cuterebra austeni*, 359
*Cuterebra memomexicana*,

359
*Neotoma mexicana*, flea, 46
*Ixodes spinipalpis*, 46
new host records, Acari, 411
hypoderatid deutonymphs, 411
new species description, Acari, 33
hypoderatid deutonymphs, 33
nutritional reserves, autogeny, 68
*Culex tarsalis*, 68

**O**

Oestridae, Myiasis, 242
*Oestrus ovis*, 242
*Oestrus ovis*, 242
Oestridae, 242
Myiasis, 242
onchocerciasis, saliva, 87
*Simulium*, 87
optimum temperature, *Dermatophagoides pteronyssinus*, 538
phospholipase, 538
*Ornithodoros* (*Alectorobius*) *amblus*, Acari, 521
tick biology, 521

**P**

parasite resistance, *Aedes sierrensis*, 38
*Lambornella clarki*, 38
parasitoids, filth flies, 82
Korea, 82
phallosome morphology, *Culex pipiens pipiens*, 116
*Culex pipiens quinquefasciatus*, 116
*Phlebotomus bergeroti*, *Phlebotomus duboscqui*, 383
morphometrics, 383
*Phlebotomus duboscqui*, *Phlebotomus bergeroti*, 383
morphometrics, 383
phospholipase $A_2$, *Amblyomma americanum*, 160
hemolysis, 160
phospholipase, *Dermatophagoides pteronyssinus*, 538
optimum temperature, 538
*Plagiorchis elegans* infection, *Aedes aegypti*, 565
*Aedes atropalpus*, 565
*Plasmodium* spp., *Anopheles* spp., 417
malaria transmission, 417
polymerase chain reaction, internal transcribed spacer, 404
snow pool *Aedes*, 404
population genetics, allozymes, 441
*Ixodes pacificus*, 441
population regulation, *Ixodes scapularis*, 301
Lyme disease, 301
population size, *Culicoides belkini*, 387
environmental variables, 387
preferred temperature, *Triatoma infestans*, 11
*Triatoma spinolai*, 11
Pulicidae, *Ctenocephalides felis felis*, 494
Siphonaptera, 494

**R**

rats, *Ixodes ricinus*, 489
Lyme disease, 489
reproductive rate, *Rhipicephalus sanguineus*, 74
*Rhipicephalus turanicus*, 74
resistance, *Bacillus sphaericus*, 5
*Culex quinquefaciatus*, 5
*Rhipicephalus sanguineus*, reproductive rate, 74
*Rhipicephalus turanicus*, 74
*Rhipicephalus turanicus*, reproductive rate, 74
*Rhipicephalus sanguineus*, 74
rice culture practices, *Culex* spp., 274
habitat, 274
*Romanomermis culicivorax*, *Anopheles albimanus*, 1
*Culex quinquefasciatus*, 1
Ross River virus, Culicidae, 156
mosquito vectors, 156
rotavirus, housefly, 527
mechanical transmission, 527

**S**

saliva, onchocerciasis, 87
*Simulium*, 87
sand flies, *Endotrypanum*, 189
experimental infection, 189
*Simulium*, onchocerciasis, 87
saliva, 87
*Simulium venustum*, attractiveness, 64
black flies, 64
Siphonaptera, *Cteno-*

*cephalides felis felis*, 494
Pulicidae, 494
snow pool *Aedes*, internal transcribed spacer, 404
polymerase chain reaction, 404
species identification, *Culex pipiens* complex, 532
subtractive hybridization, 532
spiroplasmas, Haematopota, 238
Tabanid, 238
*Stomoxys calcitrans*, *Haematobia irritans*, 426
supercooling point, 426
subtractive hybridization, *Culex pipiens* complex, 532
species identification, 532
supercooling point, *Haematobia irritans*, 426, *Stomoxys calcitrans*, 426

T

Tabanid, Haematopota, 238
spiroplasmas, 238
temperature, *Chrysomya rufifacies*, 353
*Ctenocephalides felis*, 173
development, 173
egg survival, 517
*Hypoderma lineatum*, 517
insect development, 353
tick biology, Acari, 521
*Ornithodoros* (*Alectorobius*) *amblus*, 521
tick population biology, *Ixodes scapularis*, 167
microclimate, 167
tick (s), Crimean-Congo hemorrhagic fever virus, 511
*Dermacentor albipictus*, 372
*Ixodes scapularies*, 372
transmission, 511
*Toxorhychites rutilus*, *Aedes triseriatus*, 457
developmental escape, 457
transmission, Crimean-Congo hemorrhagic fever, 511
tick, 511
*Triatoma guasayana*, *Trypanosoma cruzi*, 102
wild triatomines, 102
*Triatoma infestans*, preferred temperature, 11
*Triatoma spinolai*, 11
*Triatoma infestans*, Bolivia, 544
Chagas disease, 544
infection, 253
Triatoma virus, 253
*Triatoma spinolai*, preferred temperature, 11
*Triatoma infestans*, 11
Triatoma virus, infection, 253
*Triatoma infestans*, 253
Trombiculidae, chiggers, 368, 438
*Hexidionis*, 438
*Leptotrombidium*, 368
*Trypanosoma cruzi*, *Triatoma guasayana*, 102
wild triatomines, 102

V

vector competence, *Aedes canadensis*, 346
*Culex salinarius*, 346
Venezuelan equine encephalitis virus, *Amblyomma cajennense* ticks, 298
enema, 298

W

wild triatomines, *Triatoma guasayana*, 102
*Trypanosoma cruzi*, 102